0518879

## DISCOVERY SITE EVALUATION CHECKLIST

(To be completed by a member of ERC Data Management and included with the data package for a newly discovered potential waste management unit.)

Site Code	ie: 200-W-23		2/15/2000
Site Allas	s(es): 200-W-23, 203-8, 205-8, Underground Contaminated Zone	<u> </u>	
W	/aste Management Unit Not a Waste Management Unit More Infor	mation Needs	1
	O •	0	· .
1.	Does the unit receive uncontaminated relewater remoff only?	• 0	
IF YES	, CHECK "NOT A WASTE MANAGEMENT UNIT" ABOVE AND STOP. IF NO	), GO TO 2.	
A check in Agreement	n any "YES" box in the right column indicates the site is a waste management unit as defin at (TPA). (Items 2 through 7 below correspond with the six waste management unit types	ned in Section 3.1 found in the TP/	of the Tri-Party definition.)
2.	Complete items 2.a through 2.f below to determine if the unit is a solid waste m	annecement	YES NO
2.	unit (SWMU) as specified under WAC 173-363-646.		0 0
2.s.	Is the material at the unit a waste (i.e., a regulated waste or a discarded material, including garbage, refuse, sludge, construction/demolition debris, y industrial/sanitary wastewater or other discarded solid, liquid, semisolid, or contained gas)?	0 = 0	
	IF NO, CHECK NO AND GO TO 3. IF YES, GO TO 2.L.		
2.b.	Is the waste from historical residental activities (i.e., not from industrial, commercial, mining, agricultural, or community activities)?	0 . 0	
2.c.	Is the unit an industrial wastewater point discharge permitted under the Clean Water Act (i.e., National Pollutant Discharge Elimination System permit)?	0.0	
2.d.	Does the waste consist ONLY of source, special nuclear, or byproduct material regulated by the Atomic Energy Act?	0.0	
	A YES TO ANY OF THE ABOVE QUESTIONS (2.L2.4.) INDICATES THE SITE IS NOT A SWMU. IF SO, CHECK NO AND GO TO 3. IF ALL ARE NO, GO TO 2.e.		
2.e.	Was the waste placed in a discernable unit (i.e., a landfill, surface impoundment, land treatment unit, waste pile, tank, container storage area, incinerator, injection well, wastewater treatment unit, waste recycling unit, or other physical, chemical, y or biological treatment unit)?	0.0	
-	IF YES, CHECK YES AND GO TO 3. IF NO, GO TO 2.0		
2.£	Is the unit the result of routine and systematic discharges (i.e., areas receiving small but steady discharges over time from systematic human activity, such as from loading/unloading operations, solvent washing, industrial process sewer y systems, etc.)?	0 . 0	
•	IF YES, CHECK YES. IF NO, CHECK NO. GO TO 3.		



Site Code:	200-W-23		2/	15/(
3.	Is the unit a waste disposal unit? (Complete items 3.a and 3.b below)	YES	NO O	
3.a.	Does the unit require a RCRA permit for the disposal of dangerous or mixed waste?			
3.b.	Have hazardous wastes or substances been disposed of in a burial ground, pit, pond, ditch, crib, trench, french drain, or land surface that is not subject to regulation as a RCRA disposal unit and may require action to mitigate a potential y nenvironmental impact (e.g., radioactive waste disposal units, pre-RCRA units)?			
	IF EITHER IS YES, CHECK YES. IF BOTH ARE NO, CHECK NO. GO TO 4.			
4.	Is the unit an unplanned release that has not been adequately cleaned up and represents a	YES	NO	
	potential threat to human health or the environment (i.e., releases above CERCLA reportable quantities defined in 40 CFR 302.4; other hazardous substance releases, including petroleum, that may require action to mitigate a potential environmental impact)?	0	0	
5.	Is the unit an inective, contaminated structure?	YES	NO	
		0	0	
6.	Does the unit require a RCRA permit for the treatment or storage of dangerous or mixed	YES	NO	
	waste?	0	0	
7.	Is the unit another type of storage unit that may require action to mitigate a potential	YES	NO	
	environmental impact (e.g., radioactive waste storage unit)?	0	0	
Comments	This site was entered into WIDS in 1996 in error. It is a duplicate of site 200-W-22 (203-S/20	4-S/205-S S	tabilized A	\rea
Sc	L (1.760			
ERC Data	Management Investigator Date	•		
In n	2/2000 3/2/2000			
Regulatory	Compliance Concurrence Date	•		
FOR SITES	REQUIRING DOE-RL AND REGULATOR REVIEW PER SECTION 5.2 OF RL-TPA-90-0001, TPA-ME	-14		
	My 1. Jalen 4/24/00			
DOE-RL C	Cognurrence Date			
Was	4-26-00	<u>2</u>		
Lead Rem	latory Agency Concurrence Date			